

ElectriCinema • Quick Reference Guide

ElectriCinema Premium Motorised Screen p18




Screen Box for ElectriCinemas p20



ElectriCinema 235 In-Ceiling Screen with Masking p 22



Trapdoor p23



ElectriCinema Side Tension Screen p21



Screen Lowering Device p25 & 26







ElectriCinema • Premium Motorised Screen



The ElectriCinema has long been the premium projection screen of choice for the AV industry, with all the high quality features that you come to expect from a Screen Technics product, rugged design, contemporary good looks and ease of installation with the universal bracket system. But now Screen Technics has gone the extra mile and combined this world class screen with the Connect Control System, fully integrated within the headbox canister, it has all the control and connectivity options one could ask for in an audio visual environment.

NB: Codes with S have canisters of 92mm x 98mm Codes with L have canisters of 130mm x 130mm Codes with XL have canisters of 260mm x 260mm

S & L Case length is picture area width plus 280mm

Not only has Screen Technics sorted out the control issues, but we also offer the unique Interfit Screen Box that allows your ElectriCinema screen to be neatly installed within the ceiling space for the fully integrated style so popular in today's multi purpose office, home theatre and commercial room design.

Not suitable for ElectriCinema XL range.

BENEFITS

- Sizes up to 300" Diagonal.
- · Universal Bracket System.
- Connect Control System with IR Control and contact close.
- Designer Good Looks.
- Suitable for Interfit Screen Box (optional).

APPLICATIONS

- Home Theatre
- Boardroom Presentations
- Educational & Training Facilities

PRODUCT FEATURES ELECTRICINEMA SMALL & LARGE CASE

Description: Designer Style Motorised Projection Screen with Integrated IR

Remote Control.

Head Box: Powder Coat White Ripple as standard with Silver or

Black as same cost option.

Surface: MW fibreglass (less than or equal to) NPA 3320mm width & standard

leader (greater than) is welded MW PVC.

Borders: 50mm Sides & Bottom with 300mm adjustable top black leader.


Brackets: One piece clip-on L bracket suitable for wall or

 $ceiling\ installation.$

Sizes: 72" Diagonal to 300" Diagonal.

Options: Extra Top Masking - RF RTS Remote (p38) or 4 Core Wall Switch,

custom powder coat colours..



Please Note: This product is not suitable to be used in conjunction with a Short Throw Projector.

Full technical drawings and installation instructions can be found on our website.







ElectriCinema • Premium Motorised Screen


Item No	Inch Diagonal	Image Size mm	Format
06 <mark>072</mark> 19-S	72″	1100 x 1465	Video 4:3
06 <mark>084</mark> 19-S	84"	1280 x 1705	Video 4:3
06 <mark>096</mark> 19-S	96"	1465 x 1950	Video 4:3
06 <mark>100</mark> 19-S	100"	1525 x 2035	Video 4:3
06 <mark>115</mark> 19-L	115"	1755 x 2340	Video 4:3
06 <mark>130</mark> 19-L	130"	1980 x 2640	Video 4:3
06 <mark>150</mark> 19-L	150"	2285 x 3050	Video 4:3
06 <mark>180</mark> 19-L	180"	2745 x 3660	Video 4:3
06 <mark>200</mark> 19-L	200"	3050 x 4065	Video 4:3
06 <mark>225</mark> 19-XL	225"	3430 x 4570	Video 4:3
06 <mark>250</mark> 19XL	250"	3810 x 5080	Video 4:3
06 <mark>275</mark> 19-XL	275"	4190 x 5590	Video 4:3
06 <mark>300</mark> 19-XL	300"	4570 x 6100	Video 4:3
06 <mark>072</mark> 29-S	72"	895 x 1595	HDTV 16:9
06 <mark>084</mark> 29-S	84"	1045 x 1860	HDTV 16:9
06 <mark>092</mark> 29-S	92"	1145 x 2035	HDTV 16:9
06 <mark>096</mark> 29-S	96"	1195 x 2125	HDTV 16:9
0610029-S	100"	1245 x 2215	HDTV 16:9
06 <mark>110</mark> 29-L	110″	1370 x 2435	HDTV 16:9
0611529-L	115"	1430 x 2545	HDTV 16:9
0612029-L	120″	1495 x 2655	HDTV 16:9
0613029-L	130"	1615 x 2880	HDTV 16:9
0615029-L	150"	1865 x 3320	HDTV 16:9
0618029-L	180"	2240 x 3985	HDTV 16:9
0620029-XL	200"	2490 x 4425	HDTV 16:9
0622529-XL	225"	2800 x 4980	HDTV 16:9
0625029-XL	250"	3115 x 5535	HDTV 16:9
0627529-XL	275"	3425 x 6085	HDTV 16:9
0607269-S	72"	970 x 1550	16:10
0608469-5	84"	1130 x 1810	16:10
0609269-S	92"	1240 x 1980	16:10
0609669-5	96"	1295 x 2070	16:10
0610069-S	100"	1345 x 2155	16:10
0611069-L	110″	1480 x 2370	16:10
0612069-L	120"	1615 x 2585	16:10
0613069-L	130″	1750 x 2800	16:10
0614069-L	140″	1885 x 3015	16:10
0615069-L	150″	2020 x 3230	16:10
06 <mark>180</mark> 69-L	180″	2425 x 3878	16:10
06 <mark>200</mark> 69-XL	200"	2695 x 4310	16:10
06 <mark>225</mark> 69-XL	225"	3030 x 4850	16:10
06 <mark>250</mark> 69-XL	250"	3365 x 5385	16:10
06 <mark>275</mark> 69-XL	275"	3705 x 5925	16:10



Available in 2.35:1 Cinemascope & Square

ELECTRICINEMA

Screen Technics is proud to release this new extension product based on the world class Electricinema series of projection screens. Up till now if you required a screen larger than 200" diagonal, you had to deal with our Chancellor range of screens, which was a basic heavy duty staging product, but with the new XL series you can expect all the designer good looks and leading edge functionality that the Electricinema is justly famous for. These features being the internally mounted Connect Motor Control device, flexible bracketing system and standard IR remote control.



The ElectriCinema XL utilise load rated M10 Eyebolts and requires at least 6 fixing points.

PRODUCT FEATURES ELECTRICINEMA XL

Description: Designer Style Motorised Projection Screen with Integrated IR

Remote Control.

Colour to be specified at time of order, standard powder Coat options are **Head Box:**

White Ripple, Silver or Black. Custom colours are available upon request.

Surface: Welded MW PVC.

50mm Sides & Bottom with adjustable top black leader, leader length needs to **Borders:**

be specified at time of order.

Brackets: Load Rated M10 Eyebolts Sizes: 200" Diagonal to 300" Diagonal.

Extra Top Masking - RF RTS Remote (p38) or 4 Core Wall Switch, custom powder coat Options:

Not to be used in conjunction with the ElectriCinema

Screen Box.

Please Note: This product is not suitable to be used in conjunction with a Short Throw Projector.

Due to the size and weight of this product freight costs can be significant, please allow for this in your tendering process.

